# UNCLASSIFIED

AD 296 504

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

MOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

List of Publications on MECHANICAL PROPERTIES AND STRUCTURAL USES OF WOOD AND WOOD PRODUCTS

December 1962

29 65 04

296 504

FEB 21 1963

#### TABLE OF CONTENTS

This list that give general information and the lications that give general information and the results of research by the U.S. Forest Service and other organizations on the strength of timber and factors effecting strength, design of wood articles or parts where strength or reseistance to external forces is of importance.

	\	Pag e
INSTRUCTIONS FOR OBTAINING PUBLICATIONS		. 3
FACTORS AFFECTING STRENGTH (See also Structural	Timbers).	. 4-11
Growth Conditions		. 4
Growth Features		. 4
Loading Conditions		. 5
Moisture		. 7
Preservative Treatment		. 7
Seasoning		. 7
Specific Gravity		. 8
Stain and Decay		. 8
Miscellaneous		. 10
JOINTS AND FASTENINGS		. 11-15
Bolts		. 11
Connectors		. 12
Lag Screws		. 12
Nails		. 12
Railroad Spikes		. 14
Screws		. 14
Miscellaneous		. 14
LAMINATED WOOD CONSTRUCTION		. 15-17
METHODS OF DETERMINING PROPERTIES		. 17-24
Elastic and Strength Properties		. 17
Growth Features		. 20
Specific Gravity		
Testing Procedures		. 21
MODIFIED WOODS AND PAPER LAMINATES		. 24-25

# TABLE OF CONTENTS

# (continued)

•	Page
POLES AND PILING	. 25-26
PROPERTIES	. 26-31
Shrinkage	. 26
Strength	
Woodworking	
Other	
SANDWICH CONSTRUCTIONS AND MATERIALS	. 31-42
Core Materials	
Fabrication and Inspection	
Properties	
SPECIES	. 43-47
American Woods	
Foreign Woods	
STEAM BENDING	. 48
STRUCTURAL TIMBERS	. 48-52
USES	. 52-67
Aircraft (See also Plywood and Sandwich)	. 52
Automobiles and Other Vehicles	
Buildings and Structures	. 54-67
General	
Insulation, Ventilation, and Condensation	
Materials	
Structural Components	
VENEER AND PLYWOOD	. 67-75
GENERAL	. 75-77
OTHER PUBLICATION LISTS ISSUED BY	78_79

#### INSTRUCTIONS FOR OBTAINING PUBLICATIONS

Publications available for distribution at this Laboratory are marked with an asterisk (\*).

Single technical notes, reprints, and processed reports may be obtained free upon request from the Director, Forest Products Laboratory, Madison 5, Wis.

Federal Government bulletins, circulars, and leaflets, if not available for free distribution at this Laboratory, may be purchased at the price indicated from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Send money order, draft, or cash; stamps or personal checks are not accepted.

Trade journals containing articles herein listed, if not available from the publishers, may be consulted in various libraries.

The Forest Products Laboratory reserves the right to furnish only those publications which in its judgment will give the information requested. Blanket requests or requests for a large number of copies of any individual article will not be filled except in unusual cases.

#### FACTORS AFFECTING STRENGTH

Title		: Publication and date
Grow	th Conditions	•
*How growth affects quality in hardwood lumber.	: Paul, B. H. :	: South. Lbrmn. : 201(2512):31-32, : Dec. 1, 1961.
*Relationship of locality in rate of growth to density and strength of Douglas-fir.	: : Drow, J. T. :	: : FPL Rept. 2078. : 1957.
Relation of growing space to specific gravity and strength of second-growth redwood.	: Paul, B. H., & : Luxford, R. F. :	: West Coast Lbrmn., : June 15, 1928.
*How growth affects quality in hickory and ash.	Paul, B. H.	: Wood Working Indus., : Feb. 1926. Hard- : wood Record, : Jan. 10, 1925.
Grow	th Features	
Structure, occurrence, and properties of compression wood.		: USDA Tech. Bull. : 546. 1937. Out of : Print.
*Compression wood cause of bow- ing and twisting.	Pillow, M. Y.	: South. Lbrmn., : Mar. 1, 1931; : Wood Construc., : Nov. 1, 1930; Wood : Working Indus., : Nov. 1930.
Structural timbers: Defects and their influence on strength.	Newlin, J. A., & Johnson, R. P. A.	: Am. Soc. Testing : Materials Proc. : 1924.

Title	: Author	: : Publication and date
Growth Fea	atures (continued)	•
Effect of spiral grain on strength of wood.	: Wilson, T. R. C.	: Jour. For., Nov. : 1921.
Loadi	ng Conditions	
*Fatigue resistance of quarter- scale bridge stringers in flexure and shear.	-	: FPL Rept. 2236. : 1962. :
*Creep of small wood beams under constant bending load.	Clouser, W. S.	: : FPL Rept. 2150. : 1959.
*Effect of repeated loading and salt-water immersion on flex- ural properties of laminated white oak.	Freas, A. D., & Werren, Fred	Forest Prod. Jour. 9(2):100-103. Feb. 1959.
*Effect of prestressing on mechan- ical properties of Douglas-fir and southern yellow pine.	Wood, L. W.	FPL Rept. 2073.
*The influence of rate of loading on the strength of wood and wood-base material.	Markwardt, L. J., & Liska, J. A.	Reprint from Am. Soc. Testing Materials Symposium on Speed of Testing. 1956.
*The fatigue behavior of wood and plywood subjected to repeated and reversed bending stresses.	Kommers, W. J.	FPL Rept. 1327. 1943. Information Reviewed and Re- affirmed 1960.

Title	: Author	: Publication and date
Loading Conditions (continued)		
*Supplement: The fatigue be- havior of Douglas-fir and Sitka spruce subjected to re- versed stresses superimposed on steady stresses.		: FPL Rept. 1327-A. : 1944. Information : Reviewed and Re- : affirmed 1960. :
*Effect of a single reversal of stress on the static and impact bending strength of Sitka spruce and Douglas-fir.	:	: FPL Rept. 1325. : 1943. Information : Reviewed and Re- : affirmed 1962.
*Effect of ten repetitions of stress on the bending and compressive strengths of Sitka spruce and Douglas-fir.	•	: FPL Rept. 1320. : 1943. Information : Reviewed and Re- : affirmed 1960.
*Effect of rapid loading on the com- pressive and flexural strength of wood.	: : Liska, J. A. : :	: FPL Rept. 1767. : 1950. Information : Reviewed and Re- : affirmed 1960.
*Effect of 5,000 cycles of repeated bending stresses on 5-ply Sitka spruce plywood.		: FPL Rept. 1305. : 1943. Information : Reviewed and Re- : affirmed 1960.
*Effects of speed of test on bend- ing strength of insulation fiber- board.	: Lewis, W. C.	: Tappi 38(2):65-68, : Feb. 1955.
*Effect of rapid loading and duration of stress on the strength properties of wood tested in compression and flexure.	: Brokaw, M. P., & : Foster, G. W. :	: FPL Rept. 1518. : 1945. Information : Reviewed and Re- : affirmed 1958.

Title	: Author	: Publication and date
Loading Cor	nditions (continued)	•
*Relation of strength of wood to duration of load.	: Wood, L. W. : :	: FPL Rept. 1916. : 1951. Information : Reviewed and Re- : affirmed 1960.
*Fatigue of wood and glued joints used in laminated construction.	: Lewis, W. C.	: Forest Prod. Res. : Soc. Proc., 1951.
Speed of testing of wood: Factors in its control and its effect on strength.		: Am. Soc. Testing : Materials Proc., : 1948.
Behavior of wood under continued loading.	Wood, L. W.	Eng. News-Record: 139(24):108-111, Dec. 11, 1947.
<u>7</u>	Moisture	
*Strength-moisture relations for wood.	: Wilson, T. R. C.	: USDA Tech. Bull. : 282. 1932.
Preserva	tive Treatment	
*Effect of pressure treatment with coal-tar creosote on the strength of Douglas-fir structural timbers.	: MacLean, J. D.	: 1951. :
Se	asoning	
*Recommendations of the Madison conference on fundamental research in wood drying.	Youngs, R. L.	Forest Prod. Jour. 9(3):121-124, Mar. 1959.
*Mechanical properties of red oak : related to drying.	Youngs, R. L.	Forest Prod. Jour. 7(10):315-324, Oct. 1957.
200	-7-	

Title	: Author	: Publication and date
Seasoni	ng (continued)	
*Effect of partial seasoning on the strength of wood.	: Carlson, T. A.,	: Am. Wood-Pres. : Assn. Proc. 1930; : FPL Rept. 1024. : 1930. Information : Reviewed and Re- : affirmed 1960.
Spec	ific Gravity	
*Specific gravity-strength relations for wood.	: : :	: FPL Rept. 1303. : 1956. Information : Reviewed and Re- : affirmed 1962.
*Southern pine and the density rule.	: Wood, L. W.	: South. Lbrmn., : Dec. 1950.
The relation of the shrinkage and strength properties of wood to its specific gravity.	: Newlin, J. A., & : Wilson, T. R. C.	: USDA Bull. 676. : 1919. Out of Print.
Stair	and Decay	
	: Luxford, R. F., : Wood, L. W., & : Gerry, E.	: FPL Rept. 1500. : 1943. Information : Reviewed and Re- : affirmed 1960.
*The significance of the discolora- tions in aircraft veneers: Mahogany and khaya.	: Hansbrough, J. R., : & Krause, R. L. :	

Title	Author	Publication and date	
Stain and Decay (continued)			
*The significance of the discolorations in aircraft veneers: Yellow birch.	Hansbrough, J. R.,: Waterman, A. M.; & Luxford, R. F.;	1943. Information	
*The significance of the discolora- tions in yellow-poplar veneers.	<del>-</del> -	FPL Rept. 1375. 1952. Information Reviewed and Re- affirmed 1958.	
*The significance of the discolorations in aircraft lumber: Noble fir and western hemlock.			
*The significance of black line stain in yellow birch propeller lumber.	Hansbrough, J. R.	Forest Path. Spec. Rel. No. 23.	
*The significance of the discolorations in aircraft lumber: Sitka spruce.			
*The significance of the discolorations in aircraft veneers: American beech.	Hansbrough, J. R., Waterman, A. M., & Krause, R. L.	Rel. No. 16.	
*Chemical stain in noble fir as related to strength.	Luxford, R. F., & & & Krone, R. H.	FPL Rept. 1329. 1943. Information Reviewed and Re- affirmed 1962.	
*The effect of certain heart rot fungi on the specific gravity and strength of Sitka spruce and Douglas-fir.	Scheffer, T. C., Wilson, T. R. C., Luxford, R. F., & Hartley, C.		

Title	: Author	: Publication and date
Stain and I	Decay (continued)	•
Effect of blue stain on specific gravity and strength of southern pine.	: Chapman, A. D., & : : Scheffer, T. C. :	
*Decay and toughness losses in southern pine infected by Peniophora.	: Lindgren, R. M., & : Erickson, E. C.O.:	
Mis	cellaneous	
*Effect of temperature and mois- ture content on internal friction and speed of sound in Douglas- fir.	· · · · · · · · · · · · · · · · · · ·	Forest Prod. Jour. 11(9):383-390, Sept. 1961.
*Effect of hydraulic-equipment oils on the bending and compressive strength of Sitka spruce.		FPL Rept. 1520. 1945. Information Reviewed and Re- affirmed 1962.
*Effect of elliptic or circular holes on the stress distribution in plates of wood or plywood considered as orthotropic materials.	: : : :	FPL Rept. 1510. 1944. Information Reviewed and Re- affirmed 1962.
*Wood at low temperatures.	Boller, K. H.	Modern Packaging 28(1):153-157, Sept. 1954.
*Comparative value of timber cut from live and dead trees.	: : :	FPL Tech. Note 101. 1958.

Title	: Author	: : Publication and date
Miscella	neous (continued)	
*Effect of extractives on the strength of wood.	: Luxford, R. F. :	: Jour. Agr. Res., : June 15, 1931.
JOINTS	AND FASTENINGS	
Title		: : Publication and date
	P-14-	•:
1	Bolts	
*Bolt-bearing strength of wood an modified wood: Bearing streng of commercial crossbanded compreg under aircraft bolts.		: FPL Rept. 1523-B. : 1946. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Bearing strength of commercial aircraft ply-wood under aircraft bolts.	: McLeod, A. M.	: FPL Rept. 1523-C. : 1946. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Bearing strength of wood members reinforced with plywood and crossbande compreg under single and multiple aircraft bolts.	: Goodell, H. R.,	
*Theoretical design of a nailed or bolted joint under lateral load.	: : Kuenzi, E. W. :	: FPL Rept. 1951. : 1953. Information : Reviewed and Re- : affirmed 1962.

:

Title	: Author	: Publication and date
Bolt	s (continued)	
The bearing strength of wood under bolts.	: Trayer, G. W. :	: USDA Tech. Bull. : 332. 1932. Out of : Print.
:	Connectors	
Timber connector joints: Their strength and design.	: Scholten, J. A.	: USDA Tech. Bull. : 865. 1944. Out of : Print.
Modern connectors in wood construction.	: Scholten, J. A.	: Ag. Eng., May 1938.
Modern connectors for timber construction.	: Perkins, N. S., : Landsen, P., & : Trayer, G. W.	_
<u>1</u>	ag Screws	
*Lag screw joints: Their behavior and design.	: Newlin, J. A., & : Gahagan, J. M.	: USDA Tech. Bull. : 597. 1938.
	Nails	
*Performance comparison of slender and standard spirally grooved pallet nails.	: Heebink, T. B.	: FPL Rept. 2238. : 1962.
*Spacing of sixpenny and eight- penny wire nails in Douglas-fir multi-nail joints.	: Ramos, A. N. :	: FPL Rept. 2155. : 1960.

Title		: : Publication and date
Nails	(continued)	
*Effect of nail points on the with- drawal resistance of plain nails.		: FPL Rept. 1226. : 1940. Information : Reviewed and Re- : affirmed 1959.
*Nailing dense hardwoods.		: FPL Tech. Note 247. : 1953.
*Nail-withdrawal resistance of American woods.		: : FPL Tech. Note 236. : 1958.
*General observations on the nailing of wood.		: FPL Tech. Note 243. : 1957.
*Slant driving of nails! Does it pay?	Markwardt, L. J., & Gahagan, J. M.	FPL Rept. 954. 1930. Information Reviewed and Re- affirmed 1962.
Why nails hold.	: Markwardt, L. J., : & Gahagan, J. M.:	Wood Prod., Sept. 1951. Pack. & Shipping, Oct. 1951.
*Nail-holding properties of southern hardwoods.	Scholten, J. A.	South. Lbrmn., Dec. 1950.
*Strength of nailed joints in frame walls.	Scholten, J. A., & Molander, E. G.	•
Technique of house nailing.	Forest Products Laboratory	In cooperation with the Housing & Home Finance Agency, Washington, D. C., Nov. 1947.

Title	-	: : Publication and date		
Nails	(continued)			
The grooved nail.	: Markwardt, L. J., & : Gahagan, J. M.	: Pack. & Shipping, : Apr. 1929; Barrel		
		: & Box & Pack., : Aug. 1929.		
Rai	lroad Spikes			
Tests of the holding force of common and screw railroad spikes in natural and treated Douglas-fir ties.		: West Coast Lbrmn., : Nov. 15, 1922. :		
Screws				
*Strength of screw fastenings in plywood.		: FPL Tech. Note 149. : 1958.		
Mi	scellaneous			
*Proceedings of the symposium on fastenings for wood in house construction.	: : : : : : : : : : : : : : : : : : :	: FPL Rept. 2241. : 1962. :		
*Strong joints + strong materials properly used = strong buildings.		FPL Tech. Note 262.		
*Corrosion of metal fastenings in zinc-chloride-treated wood after 20 years.	: Baechler, R. H.	Am. Wood-Pres. Proc. 1949.		

Title	: Author	: Publication and date
Miscella	neous (continued)	•
Wood fastenings in farm structures.	: Scholten, J. A. : : : : :	: A contribution of the : Com. on Commer- : cial Bldg. Materials :Woodof the : Am. Soc. of Agr. : Engrs., July 6, : 1936.
Corrosion of metal fastenings in zinc-chloride-treated wood.	: Baechler, R. H. :	: Indus. & Eng. Chem., : Dec. 1934.

#### LAMINATED WOOD CONSTRUCTION

Title	: Author	: : Publication and date
*Stiffness and bending strength of beams laminated from two species of wood.	: Ethington, R. L. :	: FPL Rept. 2156. : 1960.
*Deflection characteristics of two 20-foot-diameter laminated wood rings subjected to compressive loading along a diameter.	: Werren, Fred, & : Ethington, R. L. :	_
Development of working stresses for glued laminated lumber.	: Freas, A. D. :	: Am. Railway Eng. : Assn. Proc. 1956, : Vol. 57, pp. 979- : 985.

# LAMINATED WOOD CONSTRUCTION (continued)

Title	: : Author :	: Publication and date
*Scarf joints prove feasible for large laminated members.	: Werren, Fred :	: Wood & Wood Prod. : 61(7):22, 80-81, : July 1956.
*Factors affecting strength and design principles of glued laminated construction.	: : Freas, A. D. : :	: FPL Rept. 2061. : 1956. Information : Reviewed and Re- : affirmed 1962.
*Laminated, bolted, and solid keels for 50-foot Navy motor launch compared for strength.	: Luxford, R. F., & : Krone, R. H. :	: FPL Rept. 1625. : 1946. Information : Reviewed and Re- : affirmed 1962.
*Laminated oak frames for a 50- foot Navy motor launch com- pared to steam-bent frames.	: Luxford, R. F., & : Krone, R. H. :	: FPL Rept. 1611. : 1945. Information : Reviewed and Re- : affirmed 1962.
*Strength of glued laminated Sitka spruce made up of rotary-cut veneers.	: : Luxford, R. F. : :	: FPL Rept. 1512. : 1944. Information : Reviewed and Re- : affirmed 1962.
Fabrication and design of glued laminated wood structural members.	: Freas, A. D., & : Selbo, M. L. :	: USDA Tech. Bull. : 1069. Feb. 1954. :
*End joints of various types in Douglas-fir and white oak com- pared for strength.	: Luxford, R. F., & : Krone, R. H. :	: FPL Rept. 1622. : 1946. Information : Reviewed and Re- : affirmed 1961.
*Stresses in laminated wood con- construction.	: :	: FPL Tech. Note 140. : 1952.

#### LAMINATED WOOD CONSTRUCTION (continued)

Title	: Author	: : Publication and date
*Hickory-ash bats get baseball trial.	: McDonald, J. K. :	: South. Lbrmn. : 183(2297):193-194. : Dec. 15, 1951.
*Studies of the strength of glued laminated wood construction.	: : Freas, A. D. :	: ASTM Bull. No. 170 : Dec. 1950.
The glued laminated wooden arch.	: Wilson, T. R. C. :	: USDA Tech. Bull. : 691. 1939. 20 : cents.
Built-up wood columns conserve lumber.	: Scholten, J. A. :	: Eng. News-Record, : Aug. 27, 1931.

#### METHODS OF DETERMINING PROPERTIES

	•		•
	•		•
Title	:	Author	: Publication and date
*****			
	•		

#### Elastic and Strength Properties

\*Modulus of elasticity of wood : Bell, E. R., : FPL Rept. 1977.

determined by dynamic methods.: Peck, E. C., & : 1954. Information
: Krueger, N. T. : Reviewed and Re: : affirmed 1959.

Title	: Author :	Publication and date		
Elastic and Strength Properties (continued)				
*Tension test methods for wood, wood-base materials, and sand- wich construction.				
*Approximate methods of calculating the strength of plywood.		FPL Rept. 1630. Revised 1946. Information Reviewed and Reaffirmed 1962.		
*The effect of a change in testing speed and span on the flexural strength of insulating and structural fiberboards and a proposed new method of test.	;	-		
*The bending strength and stiffness of plywood.	Freas, A. D.	FPL Rept. 1304. Revised 1956. Information Reviewed and Reaffirmed 1962.		
*Stress-strain relations in wood and plywood considered as orthotropic materials.		FPL Rept. 1503. 1956. Information Reviewed and Re- affirmed 1962.		

Title	: Author	: : Publication and date :
Elastic and Stren	gth Properties (cont	inued)
The influence of the form of a wooden beam on its stiffness and strength	: :	: :
*I - Deflection of beams with special reference to shear deformations. (Reprint from NACA Report 180.)		: FPL Rept. 1309. : 1941. Information : Reviewed and Re- : affirmed 1956.
		: FPL Rept. 1311. : 1941. Information : Reviewed and Re- : affirmed 1956.
*Form factors of beams subjected to transverse loading only. (Re- print from NACA Report 181.)	: Trayer, G. W.	: FPL Rept. 1310. : 1941. Information : Reviewed and Re- : affirmed 1956.
*Strength of orthotropic materials subjected to combined stresses.		: FPL Rept. 1816. : 1950. Information : Reviewed and Re- : affirmed 1962.
*Report on progress in develop- ment of testing methods for fiberboards.	Markwardt, L. J.	: FPL Rept. 2105. : 1958.
*Effect of size and shape of speci- men on the tensile strength of fiberboards.	: Lewis, W. C. : : :	: FPL Rept. 1716. : 1948. Information : Reviewed and Re- : affirmed 1960.

200 -19-

Title	. A+1	: Publication and date
		: Publication and date
Elastic and Streng	th Properties (cont	inued)
*Methods of calculating the strength and modulus of elasticity of plywood in compression.	: Liska, J. A. : :	: FPL Rept. 1315. : Revised 1950. In- : formation Reviewe : and Reaffirmed : 1960.
Methods for determining the elastic constants of non-metallic materials.		: Am. Soc. Testing : Materials Spec. : Tech. Pub. No. 118 : pp. 70-78. 1952.
A new method of calculating the ultimate strength of continuous beams.	. : Newlin, J. A., & : Trayer, G. W.	: NACA Report 347. : 1930.
Grov	vth Features	
*Detection of compression failures in wood.	: : :	: FPL Rept. 1588. : 1944. Information : Reviewed and Re- : affirmed 1961.
•	: Anderson, E. A., Koehler, A., & Krone, R. H.	
*Guide to determining slope of grain in lumber and veneer.	Koehler, A.	: FPL Rept. 1585. : 1943. Information : Reviewed and Re- : affirmed 1960.

	<u>-</u>		
Title	: : :-:	Author	: Publication and date
Growth Fe	atures	(continued)	
*Compression wood: Importance	:		: FPL Rept. 1586.
and detection in aircraft veneer	:		: 1943. Information
and plywood.	:		: Reviewed and Re-
	:		: affirmed 1959.
	:		:
*A simple device for detecting	:		: FPL Rept. 1390.
compression wood.	:	;	: 1941. Information
	:		Reviewed and Re-
	:	1	: affirmed 1959.
Spe	cific Gr	avity	
*Methods of determining the	:		: FPL Tech. Note
specific gravity of wood.	:	:	: В-14. 1956.
. ,	:	:	<b>:</b>
Methods for determining the	: Mar	kwardt, L. J.,	Am. Soc. Testing
specific gravity of wood and	: & I	Paul, B. H.	Materials Proc.
wood-base materials.	:	;	: 1946.
Test	ing Pro	cedures	•
*Results of impact tests to com-	: Drov	v, J. T.,	: FPL Rept. 2109.
pare the pendulum impact and	: Ma	rkwardt, L.J.,	1958.
toughness test methods.	: & Y	oungquist, W. G.	:
	:	;	:
*Apparatus for determination of			FPL Rept. 2130.
surface profile.	: & J	ames, W. L.	1958.
+C	: . M	:- C D	; . Fanak Duad Jana
*Comparison of standard block-	: Nori	ris, C. B.	Forest Prod. Jour. 7(9): 299-301,
shear test with the panel-shear	•	•	Sept. 1957.
test.	•		. Dept. 1757.
*Performance of bonded wire	· : Youn	igquist. W. G.	FPL Rept. 2087.
strain gages on wood.	:	<b>U</b>	1957.

Title	: Author	Publication and date		
Testing Procedures (continued)				
*Fabrication of small clear speci- mens of timber for strength tests.	: Bellosillo, S. B. :	: FPL Rept. 2074. : 1957.		
*Climbing peel test for strength of adhesive bonds.	: Werren, Fred, & : Eickner, H. W. :	: : Modern Plastics : 34(4):187-190, 264 : Dec. 1956.		
A strain gage for the measure- ment of strains in adhesive bonds.	: James, W. L., &	: Am. Soc. Testing : Materials Bull. : No. 218, pp. 40- : 49. Dec. 1956.		
*Testing and evaluating procedures for building boards.	: Lewis, Wayne C.	Forest Prod. Jour. 6(7):241-246. July 1956.		
*Method for determining tensile properties of paper.	: Setterholm, V. C., : & Kuenzi, E. W. :	FPL Rept. 2066. 1956. Information Reviewed and Re- affirmed 1962.		
*Forest Products Laboratory's toughness testing machine.	: :	FPL Rept. 1308. 1941. Information Reviewed and Re- affirmed 1961.		
Means of determining the hard- ness of wood and modified woods over a broad specific gravity range.		: Am. Soc. Testing : Materials Bull. : (153):84-89. Aug. : 1948.		
Methods of static tests of wood poles.	: : :	Am. Soc. Testing Materials Std D1036-52.		

	. Author	: : Publication and date
	edures (continue	
Methods of evaluating the proper-:	:	: Am. Soc. Testing
ties of wood-base fiber and		: Materials Std.
particle panel materials.		: D1037-60T.
Methods of conducting strength		: Am. Soc. Testing
tests of panels for building	}	: Materials Std.
construction.	;	: E72-61.
: Methods of testing truss assem-	•	: Am. Soc. Testing
blies.		: Materials Std.
:	}	: E73-52.
: : Standard methods of conducting	<b>.</b>	: : Am. Soc. Testing
static tests of timbers in struc- :		: Materials Std.
tural sizes.	· }	: D198-27.
:	•	A A Constant
Standard methods of testing :		: Am. Soc. Testing
small clear specimens of :		: Materials Std.
timber.		: D143-52.
Standard methods of testing :		: Am. Soc. Testing
plywood, veneer, and other :		: Materials Std.
wood and wood-base materials. :		: D805-52.
Some applications of simulated :	Freas, A. D.	: Am. Soc. Testing
service testing to nonmetallic :		: Materials Bull.
materials. :		: 141:35-40. Aug.
:		: 1946.
: Effect of specimen shape on the :	Liska, J. A.	: : Am. Soc. Testing
compressive strength proper- :		: Materials Bull.
ties of laterally supported :		: (133):33-36. Mar.
plywood specimens. :		: 1945.

:

:

Title		: : Publication and date
	ocedures (continued)	•
Load and strain measuring instru- ments for use in rate of loading and constant load tests.		: Instruments, Feb. : 1945. :
Spring suspended spherical bearing block for compression tests.	: Markwardt, L.J., : & Luxford, R. F.	: Am. Soc. Testing : Materials Bull. : Aug. 1940.

#### MODIFIED WOODS AND PAPER LAMINATES

Title	Author	: Publication and date
*Modified woods.	Stamm, A. J.	: FPL Rept. 2192. : 1960.
ables on the impact resistance	Seborg, R. M., & Stamm, A. J.	FPL Rept. 1386. 1943. Information Reviewed and Re- affirmed 1962.
*Mechanical properties of lami- nated modified woods.		: : FPL Rept. 1639. : 1947. Information : Reviewed and Re- : affirmed 1959.
*Factors affecting the strength of papreg: Some strength properties at elevated and subnormal temperatures.		: : FPL Rept. 1521. : 1945. Information : Reviewed and Re- : affirmed 1959.

# MODIFIED WOODS AND PAPER LAMINATES (continued)

Title	: Author :	: Publication and date
*Supplement: Effect of moisture on certain strength properties of papreg.		: FPL Rept. 1521-B. : 1945. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Effect of repeated cycles of freezing and thawing on certain strength properties of papreg.	: Erickson, E. C. O.	: FPL Rept. 1521-C. : 1945. Information : Reviewed and Re- : affirmed 1962.
*Certain properties of paperg as affected by laminating pressure, resin content, and volatile content.		: FPL Rept. 1394. : 1943. Information : Reviewed and Re- : affirmed 1962.
*Strength and related properties of Forest Products Laboratory laminated paper plastic (papreg) at normal temperature.	• • • • • • • • • • • • • • • • • • • •	: FPL Rept. 1319. : 1943. Information : Reviewed and Re- : affirmed 1959.
Paper-base laminates offer high strength.	•	: Am. Soc. Mech. : Engrs. Trans., : May 1945; Plastics, : Feb. 1945.
POLES	AND PILING	
Title	•	: Publication and date
Strength and related properties of wood poles.	: Erickson, E.C.O.,	: Am. Soc. Testing : Materials Spec. : Pub. 295. \$5.

\_25-

200

#### POLES AND PILING (continued)

Title	. Author	: Publication and date
*Moisture content in design of wood pole lines.	: Luxford, R. F. : : :	: Electric Light & : Power, Oct. 1930. : Elec. World, : Sept. 20, 1930; Ry. : Signaling, Aug. : 1930.
The selection of marine piling.	: Wilson, T. R. C.	: : The Constructor, : July 1930.
*Wood poles.	: : Heck, G. E. :	: Electric Light & : Power, Feb. 1925.
Same. Economic and scien- tific pole facts.	:	: Ry. Signaling, Feb. : 1925.
When ice breaks poles.	: : Heck, G. E. :	: : Telephone Engr., : Feb. 1923.
Tests of Rocky Mountain woods for telephone poles.	: Betts, N. D., & : Heim, A. L.	: USDA Bull. 67. : 1914. Out of Print. :

#### **PROPERTIES**

	:		:
Title	:	Author	: Publication and date
	:		:

#### Shrinkage

\*Longitudinal shrinkage of wood. : Koehler, A. : FPL Rept. 1093. : 1930. Revised 1960.

Title	: Author	: Publication and date
Shrinka	ge (continued)	
*Longitudinal shrinkage of wood.	: :	: FPL Tech. Note : 234. 1952.
	Strength	•
*Dynamic strength and elastic properties of wood.	: James, W. L. :	: Forest Prod. Jour. : 12(6):253-260. : June 1962.
*Stress-strain distribution in Douglas-fir beams within the plastic range.	: Ramos, A. N.	: FPL Rept. 2231. : 1961.
*Recent progress toward an under- standing of the physical and mechanical properties of wood.	Youngs, R. L.	: Forest Prod. Jour. : 11(5):214-225. : May 1961.
*A method for rapid measurement of the rate of decay of free vibrations.	: James, W. L.	: FPL Rept. 2154. : 1959.
*Creep of small wood beams under constant bending load.	: Clouser, W. L.	: FPL Rept. 2150. : 1959.
*Strength qualities of dimension lumber.	: Wood, L. W. : : : : : : : : : : : : : : : : : :	: Am. Soc. Testing : Materials Spec. : Tech. Pub. No. : 209. 1957.

Title	: Author	: : Publication and date
Streng	th (continued)	
*Distribution of strength values in wood for aircraft construction.	: Drow, J. T., : Clark, M. E., & : Wilson, T. R. C.	
*Bearing strength of wood at angle to the grain.	: : :	: FPL Rept. 1203. : 1939. Revised : 1956.
*Elastic properties of wood: Young's moduli, moduli of rigidity, and Poisson's ratios of balsa and quipo.	: Doyle, D. V., Drow, J. T., & McBurney, R.S.	: FPL Rept. 1528. : 1945. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Young's moduli and Poisson's ratios of Sitka spruce and their relations to moisture content.	: Drow, J. T., & : McBurney, R. S. :	: FPL Rept. 1528-A. : 1946. Information : Reviewed and Re- : affirmed 1959.
*Supplement: The moduli of rigidity of Sitka spruce and their relations to moisture content.	: Doyle, D. V., McBurney, R. S. & Drow, J. T.	: FPL Rept. 1528-B. : 1946. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Young's moduli, moduli of rigidity, and Poisson's ratios of mahogany and khaya.	: Doyle, D. V., & : Drow, J. T. :	: FPL Rept. 1528-C. : 1946. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Young's moduli and Poisson's ratios of Douglas-fir and their rela- tions to moisture content.	: : McBurney, R. S., : & Drow, J. T. :	: FPL Rept. 1528-D. : 1946. Information : Reviewed and Re- : affirmed 1962.

Title	: Author	: Publication and date
Streng	th (continued)	•
*Supplement: Young's moduli, Poisson's ratios and moduli of rigidity of sweetgum at approximately 11 percent moisture content.	•	: FPL Rept. 1528-F. : 1946. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Young's moduli, moduli of rigidity, and Poisson's ratios of yellow-poplar.	: Drow, J. T., & : McBurney, R. S. : :	: FPL Rept. 1528-G. : 1946. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Young's moduli, moduli of rigidity, and Poisson's ratios of yellow birch.	: Drow, J. T., & : McBurney, R. S. : :	: FPL Rept. 1528-H.: 1946. Information: Reviewed and Re-: affirmed 1962.
*Red hickory as strong as white hickory.	:	: : FPL Tech. Note : 171. 1953.
*Strength of southern pine and Douglas-fir compared.	:	FPL Tech. Note 119. 1952.
*Comparative strength of air- dried and kiln-dried wood.	:	FPL Tech. Note 180. 1952.
*Quality comparisons of hard- woods from the southern Appalachians with that of northern growth.	: Paul, B. H. : : : : : : : : : : : : : : : : : :	South. Lbrmn., Aug. 1, 1941; Wood Products, July 1941.
Strength and related properties of woods grown in the United States.	: Markwardt, L. J., &: : Wilson, T. R. C.	: USDA Tech. Bull. : 479. 1935. Out of : Print.

Title		: Publication and date
	th (continued)	•:
*The distribution and the mechanical properties of Alaska woods.	: Markwardt, L. J. :	: USDA Tech. Bull. : 226. 1931.
Comparative strength properties of woods grown in the United States.	: : Markwardt, L. J. :	: USDA Tech. Bull. : 158. 1930. : 10 cents.
*Standard terms for describing wood.	: : : :	: FPL Rept. 1169. : Revised 1956. In- : formation Reviewed : and Reaffirmed : 1961.
Relation of the manner of failure to the structure of wood under compression parallel to the grain.	: : Bienfait, J. L. : :	: Jour. Agr. Res., : July 15, 1926. :
w	oodworking	
Machining and related character- istics of United States hard- woods.	: Davis, E. M. :	: USDA Tech. Bull. : 1267. 1962. : 35 cents.
*Machining tests for particle board; some factors involved.	: Davis, E. M. :	: FPL Rept. 2072. : 1957.
*Properties, selection, and suitability of woods for wood-working.	: Coleman, D. G. :	: Indus. Arts and Voc. : Ed., Dec. 1940. :

Title	: Author	: Publication and date
	Other	·
*Weights of various woods grown in the United States.	: :	: FPL Tech. Note : 218. 1958.

#### SANDWICH CONSTRUCTIONS AND MATERIALS

Title	: Author	: : Publication and date
<u>C</u> o	re Materials	
*Durability of resin-treated paper honeycomb core.	: Boller, K. H.	: FPL Rept. 2158. : 1959.
*Design curves for the buckling of sandwich cylinders of finite length under uniform external lateral pressure.	: Norris, C. B., & : Zahn, J. J. :	: FPL Rept. 1869. : 1959. :
*Buckling of simply supported rectangular sandwich panels subjected to edgewise bending.	: Jahnke, W. E., & : Kuenzi, E. W.	k: FPL Rept. 1868. : 1959.
*An apparatus for measuring in- ternal friction and fatigue strength of core materials used in sandwich construction.	: Norris, C. B.	: FPL Rept. 1866. : 1958.
*Mechanical properties of glass- fabric honeycomb cores.	: Kuenzi, E. W.	: FPL Rept. 1861. : 1957.

# SANDWICH CONSTRUCTIONS AND MATERIALS (continued)

Title	: Author	: Publication and date
Core Mate	erials (continued)	•
*Mechanical properties of alumi- num multiwave cores.	: Kuenzi, E. W., & : Setterholm, V. C.	_ <del>_</del>
*Short-column compressive strength of sandwich construc- tions as affected by the size of the cells of honeycomb core materials.	: Norris, C. B., & : Kommers, W. J. : :	_ ~
*Durability of low-density sand- wich panels of the aircraft type as determined by Laboratory tests and exposure to weather. Part IV.		: FPL Rept. 1573-C. : 1955. Information : Reviewed and Re- : affirmed 1960.
*Mechanical properties of alumi- num honeycomb cores.	: Kuenzi, E. W.	: FPL Rept. 1849. : 1955. Information : Reviewed and Re- : affirmed 1962.
*Effect of unbonded joints in an aluminum honeycomb-core material for sandwich constructions.	: Norris, C. B. : : : : : : : : : : : : : : : : : :	: FPL Rept. 1835. : 1952. Information : Reviewed and Re- : affirmed 1958.
Paper honeycomb as a core for structural sandwich construction.	: Kuenzi, E. W. :	: Am. Soc. Testing : Materials : Tech. Pub. No. : 118, pp. 70-78. : 1952.
Properties of honeycomb core as affected by fiber type, fiber orientation, resin type, and amount.	: Seidl, R. J., : Fahey, D. J., & : Voss, A. W.	: U.S. NACA Tech. : Note 2564. 1951. : Washington 25, : D. C.

# SANDWICH CONSTRUCTIONS AND MATERIALS (continued)

Title	: Author	: Publication and date
Core Mate	erials (continued)	
An analysis of the shear strength of honeycomb cores for sand-wich construction.	: Werren, F. : :	: U.S. NACA Tech. : Note 2208. 1950. : Washington 25, D.C.
Strength properties of rayon-mat honeycomb core materials.	: Kommers, W. J.	: U.S. NACA Tech. : Note 2084. Apr. : 1950. Washing - : ton 25, D. C.
Investigation of mechanical properties of honeycomb structures made of resin-impregnated paper.	: Mackin, G. E.	: U.S. NACA Tech. : Note 1529. 1948. : Washington 25, D.C.
Analysis of the compressive strength of honeycomb cores for sandwich constructions.	Norris, C. B.	<ul> <li>U.S. NACA Tech.</li> <li>Note 1251. 1947.</li> <li>Washington 25, D.C.</li> </ul>
Fabricati	on and Inspection	
*Long-term case study of sandwich panel construction in FPL experimental unit.		-
*Determination of mechanical properties of adhesives for use in the design of bonded joints.	. Kuenzi, E. W. :	: FPL Rept. 1851. : 1956. Information : Reviewed and Re- : affirmed 1962.
*Repair of aircraft sandwich constructions.	: Panek, E., & Heebink, B. G.  .	: : FPL Rept. 1584. : 1948. Information : Reviewed and Re- : affirmed 1962.

Title	. Author	: Publication and date
Fabrication and	Inspection (continue	ed)
*Supplement.	<del>-</del>	: FPL Rept. 1584-A. : 1956. Information : Reviewed and Re- : affirmed 1962.
*Supplement.	: Heebink, B. G. : : :	: FPL Rept. 1584-B. : 1953. Information : Reviewed and Re- : affirmed 1962.
*Preliminary evaluation of a vacuum-induced concentrated-load sandwich tester.	Ericksen, W.S.,  Kuenzi, E. W., &  Heebink, B.G.	: FPL Rept. 1832-A. : 1952. Information : Reviewed and Re- : affirmed 1958.
Fabrication techniques for structural sandwich constructions.	: Heebink, B.G. : : :	: Am. Soc. Testing : Materials Spec. : Tech. Pub. No. : 118, pp. 104-114. : 1952.
<u> P</u>	roperties	
*Torsion of sandwich panels of trapezoidal, triangular, and rectangular cross sections.	: Cheng, Shun :	: FPL Rept. 1874. : 1960.
*Supplement: Derivation of dif- ferential equation and its application to rectangular panels with loads applied at corners.	Cheng, Shun	: : FPL Rept. 1874-A. : 1960. :

Title ·	: Author	: Publication and date
Propert	ies (continued)	•
*Compressive buckling curves for flat sandwich panels with dissimilar facings.	Norris, C. B.	: FPL Rept. 1875. : 1960.
*Compressive buckling curves for sandwich cylinders having orthotropic facings.		: FPL Rept. 1876. : 1960.
*Structural sandwich design criteria.	Kuenzi, E. W.	: FPL Rept. 2161. : 1959.
*Simply supported sandwich beam. Anonlinear theory.	Zahn, J. J.	: FPL Rept. 2157. : 1959.
*Sandwich panels for building construction.	Wood, L. W.	: FPL Rept. 2121. : 1958.
*Compressive buckling curves for simply supported sandwich panels with glass-fabric-laminate facings and honeycomb cores.	: :	: : FPL Rept. 1867. : 1958. :
*Elastic buckling of a simply supported rectangular sandwich panel subjected to combined edgewise bending and compression.	<b>!</b>	: FPL Rept. 1857. : 1956. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Results for panels: with facings of either equal or unequal thickness and with orthotropic cores.		: FPL Rept. 1857-A. : 1956. Information : Reviewed and Re- : affirmed 1962.

Title		: : Publication and date :
Proper	ties (continued)	•
*Elastic buckling of a simply sup- ported rectangular sandwich panel subjected to combined edgewise bending, compression, and shear.	:	: FPL Rept. 1859. : 1956. Information : Reviewed and Re- : affirmed 1962.
Sandwich constructions.	: Heebink, B. G.	: Modern Plastics : Ency. Issue 34(1A): : 434-435. Sept. : 1956.
Testing sandwich constructions at the Forest Products Laboratory.	: Kuenzi, E. W. :	: Am. Soc. Testing : Materials Bull. : (164):21-28. Feb. : 1950.
*Compressive buckling design curves for sandwich panels with isotropic facings and ortho- tropic cores.	:	: FPL Rept. 1854. : Revised 1958. :
*Deflection and stresses in a uni- formly loaded, simply sup- ported, rectangular sandwich plate.	: Raville, M. E. :	: FPL Rept. 1847. : 1955. Information : Reviewed and Re- : affirmed 1960.
*Supplement: Experimental verification of theory.	: Lewis, W. C. : : : : : : : : : : : : : : : : : :	: FPL Rept. 1847-A. : 1956. Information : Reviewed and Re- : affirmed 1962.
*Stresses induced in a sandwich panel by load applied at an in-sert.	: Youngquist, W. G., : & Kuenzi, E. W. :	: : FPL Rept. 1845. : 1955. Information : Reviewed and Re- : affirmed 1960.

-36-

,		· · · · · · · · · · · · · · · · · · ·
Title	: Author	: Publication and date
Propert	ties (continued)	
*Supplement.		: FPL Rept. 1845-A. : 1955. Information : Reviewed and Re- : affirmed 1960.
*Supplement. No. 2.	: Younquist, W. G., : & Kuenzi, E. W.	: FPL Rept. 1845-B. : 1956. Information : Reviewed and Re- : affirmed 1962.
*Transfer of longitudinal load from one facing of a sandwich panel to the other by means of shear in the core.	: Norris, C. B., & : Boller, K. H. :	: FPL Rept. 1846. : 1955. Information : Reviewed and Re- : affirmed 1960.
*Plastic flow of thin adhesive bonds.	: Norris, C. B.	: FPL Rept. 2092. : 1958.
*Basic shear strength properties of metal-bonding adhesives as determined by lap-joint stress formulas of Volkersen and Goland and Reissner.	:Eickner, H. W. :	: FPL Rept. 1850. : 1955. Information : Reviewed and Re- : affirmed 1960.
*Supplement: Analysis of long cylinders of sandwich construction under uniform external lateral pressure: Facings of moderate and unequal thickness.		: FPL Rept. 1844-A. : 1955. Information : Reviewed and Re- : affirmed 1960. :
*Supplement: Buckling of sand- wich cylinders of finite length under uniform external lateral pressure.	:	: FPL Rept. 1844-B. : 1955. Information : Reviewed and Re- : affirmed 1960.

Title	: Author	: Publication and date
Propert	ies (continued)	
*Design criteria for long curved panels of sandwich construction in axial compression.	: Kuenzi, E. W. : :	: FPL Rept. 1558. : 1946. Information : Reviewed and Re- : affirmed 1959.
*Buckling loads of flat sandwich panels in compression: Various types of edge conditions.	: March, H. W., & : Smith, C. B.	: FPL Rept. 1525. : 1945. Information : Reviewed and Re- : affirmed 1962.
*Supplement: The buckling of flat sandwich panels with edges simply supported (endgrained balsa cores and facings of aluminum and glass-cloth laminate).		: FPL Rept. 1525-A. : 1947. Information : Reviewed and Re- : affirmed 1960.
*Supplement: Buckling of flat sandwich panels with all edges clamped (cores of endgrain balsa or cellular cellulose acetate and faces of aluminum or glass-cloth laminate).		: FPL Rept. 1525-D. : 1947. Information : Reviewed and Re- : affirmed 1962.
*Supplement: The buckling of flat sandwich panels with either all edges simply supported or all edges clamped (cores of paper honeycomb and facings of glass-cloth laminate).	: Boller, K. H. : : : : :	: FPL Rept. 1525-E. : 1948. Information : Reviewed and Re- : affirmed 1962.

Title	: Author	: Publication and date
Propert	ties (continued)	:
*Stability of a few curved panels subjected to shear.	: Kuenzi, E. W. : :	: FPL Rept. 1571. : 1947. Information : Reviewed and Re- : affirmed 1959.
*Effect of shear strength on maximum loads of sandwich columns.	: Boller, K. H., & : Norris, C. B.	: FPL Rept. 1815. : 1950. Information : Reviewed and Re- : affirmed 1960.
*Elastic stability of the facings of flat sandwich panels when sub- jected to combined edgewise stresses.	: Boller, K. H., & : Norris, C. B. :	: FPL Rept. 1802. : 1949. Information : Reviewed and Re- : affirmed 1960.
*Strength of aluminum lap joints at elevated temperatures (tests conducted immediately after the temperature was reached).	:	: FPL Rept. 1808. : 1949. Information : Reviewed and Re- : affirmed 1962.
*Wrinkling of the facings of sand- wich construction subjected to edgewise compression.	: Ericksen, W.S., : March, H.W.,	: FPL Rept. 1810. : 1949. Information : Reviewed and Re- : affirmed 1961.
*Supplement: Sandwich con- structions having honeycomb cores.	: Norris, C. B., : Boller, K. H., & : Voss, A. W.	: FPL Rept. 1810-A. : 1953. Information : Reviewed and Re- : affirmed 1962.
*Flexural rigidity of a rectangular strip of sandwich construction.	: March, H. W., & : Smith, C. B. :	: FPL Rept. 1505. : Revised 1955. In- : formation Reviewed : and Reaffirmed : 1960.

-39-

Title	: Author	: Publication and date
Proper	ties (continued)	
*Supplement: Supplementary mathematical analysis and comparison with the results of tests.	: Norris, C. B., : Ericksen, W. S., &: : Kommers, W. J.: :	
*The bending of a circular sand- wich plate under normal load.	: Ericksen, W. S.	FPL Rept. 1828. 1953. Information Reviewed and Re- affirmed 1960.
*Stresses within a rectangular, flat sandwich panel subjected to a uniformly distributed normal load and edgewise, direct, and shear loads.	: Norris, C. B., & : Kommers, W. J. : : : : : : : : : : : : : : : : : :	FPL Rept. 1838. 1953. Information Reviewed and Re- affirmed 1962.
*Buckling of sandwich cylinders in torsion.	: March, H. W., & : Kuenzi, E. W.	FPL Rept. 1840. Revised 1958.
*Developments and trends in light- weight composite construction.	: Markwardt, L. J. :	Am. Soc. Testing Materials Spec. Tech. Pub. No. 118, pp. 3-31. 1952.
*Behavior of a rectangular sand- wich panel under a uniform lateral load and compressive edge loads.	: March, H. W. :	FPL Rept. 1834. 1952. Information Reviewed and Re- affirmed 1958.
*Shear-fatigue properties of various sandwich constructions.	: Werren, F. : : : : : : : : : : : : : : : : : :	FPL Rept. 1837. 1952. Information Reviewed and Re- affirmed 1958.

Title		: Publication and date
Propert	ies (continued)	•
*Critical loads of a rectangular flat sandwich panel subjected to two direct loads combined with a shear load.	: Norris, C. B., & : Kommers, W. J.	: FPL Rept. 1833. : 1952. Information : Reviewed and Re- : affirmed 1958.
*Buckling of cylinders of sandwich construction in axial compression.	: March, H. W., & : Kuenzi, E. W.	: : FPL Rept. 1830. : Revised 1957.
Strength of sandwich construction.	: : Norris, C. B. : : : :	: Am. Soc. Testing : Materials Spec. : Tech. Pub. No. : 118, pp. 46-53. : 1952. Philadelphia, : Pa.
Sandwich construction in the elastic range.	: March, H. W. :	: Am. Soc. Testing : Materials Spec. : Tech. Pub. No. : 118, pp. 32-45. : 1952.
*Edgewise compressive strength of panels and flatwise flexural strength of strips of sandwich constructions.	: Kuenzi, E. W. :	: FPL Rept. 1827. : 1950. Information : Reviwed and Re- : affirmed 1958.
*Effects of shear deformation in the core of a flat rectangular sandwich panel: 1. Buckling under compressive end load. 2. Deflection under uniform transverse load.	March, H. W.	FPL Rept. 1583.  1948. Information Reviewed and Re- affirmed 1960.

200 -41-

Title		Publication and date
Propert	ies (continued)	
	: Kommers, W. J., & : Norris, C. B. :	FPL Rept. 1583-A. 1948. Information Reviewed and Re- affirmed 1962.
*Supplement: Compressive buckling of sandwich panels having facings of unequal thickness.	: Ericksen, W. S., & : March, H. W. :	FPL Rept. 1583-B. Revised 1958.
*Supplement: Deflection under uniform load of sandwich panels having facings of unequal thickness.	Ericksen, W.S.	FPL Rept. 1583-C. 1950. Information Reviewed and Re- affirmed 1962.
*Supplement: Deflection under uniform load of sandwich panels having facings of moderate thickness.	Ericksen, W.S.	FPL Rept. 1583-D. 1951. Information Reviewed and Re- affirmed 1958.
*Effect of defects on strength of aircraft type sandwich panels.	: Mohaupt, A. A., &: Heebink, B. G.	FPL Rept. 1809. 1949. Information Reviewed and Re- affirmed 1962.
*Supplement.	: Mohaupt, A. A., & : Heebink, B. G. : : : : : : : : : : : : : : : : : :	FPL Rept. 1809-A. 1949. Information Reviewed and Re- affirmed 1958.

#### **SPECIES**

#### \*American Woods

Alder, red Baldcypress Beech, American	Hackberry Hemlock, eastern " western	Pine, southern '' sugar '' western white
Buckeye	Holly, American	Poplar, balsam
Butternut	Larch, western	Redwood
Cedar, Alaska	Locust, black	Spruce, Sitka
" , incense-	Maple	Sweetgum
'', eastern red-	Oaks	Sycamore, American
" , northern white-	Osage-orange	Tamarack
", Port Orford white-	Pecan	Tupelo
Cherry, black	Persimmon	Walnut, black
Chestnut	Pine, eastern white	Willow, black
Douglas-fir	" , jack	Yellow poplar
Fir, balsam	" , ponderosa	
", noble	", red	
", white		

•		:		:
Species:	Title	:	Author	: Publication and date
		:		:

#### American Woods (continued)

	American	woods (continued)	
Aspen	: Mechanical properties : of aspen. :	: Johnson, R. P. A. :	: Lake States (Univer- : sity Farm, St. Paul l : Minn.) Aspen Rept. : No. 7, July 1947.
Elm	: :*Southern hard elm : strength properties : compare favorably : with rock elm.	: : Dohr, A. W. : :	: South. Lbrmn. : 187(2345):187-188, : Dec. 15, 1953.
	: :*Southern hard elms as : substitutes for rock : elm.	: : Baudendistel, M.E. : & Paul, P. H. :	

Species	: : Title :	Author	Publication and date
	American	Woods (continued)	
Fir	: mechanical properties :		FPL Rept. 2168.
	: *California red fir com- : pares favorably with : other western species.	Ericksen, L. N.	Calif. Lumber Mer- chant, Dec. 1, 1947.
	: Properties of white fir : and their relation to : the manufacture and : uses of wood.	Johnson, R. P. A., & Brundage, M.R.	USDA Tech. Bull. 408. 1934. Out of Print.
Hawaiiar	: n:*Physical, mechanical, : and other properties : of five Hawaiian woods.		FPL Rept. 2191.
Hemlock	: :*Properties of western : hemlock and their rela- : tion to uses of the : wood.	Johnson, R. P. A., & Gibbons, W.H.	
Hickory	: :*A tone test for hickory. :	: Heck, G. E.	: South. Lbrmn. : 179(2249):268, 270 : Dec. 15, 1949.
	:*The quality of Appa- : lachian hickory.	Paul, B. H.	South. Lbrmn., Apr. 6, 1929.
Larch	: Strength of western : larch and its suitability : for poles.	Drow, J. T.	Timberman 50(9): 94, 96, July 1949.
	: Properties of western : larch and their relation : to uses of the wood.	Johnson, R. P. A., & Bradner, M. I.	

Species	: : Title :	Author	: Publication and date
	American V	Woods (continued)	
Oak		Paul, B. H., Dohr, A. W., & : Drow, J. T.	: FPL Rept. 2135. : 1958. :
Pine	:*Mechanical properties : of Coulter pine from : California. :	Dohr, A. W.	: FPL Rept. 2102. : 1958. :
	:*Mechanical properties : of ponderosa pine from: : the Black Hills.	•	: FPL Rept. 2090. : 1957. :
	:*Strength of Virginia : pine established. :	Dohr, A. W.	: South. Lbrmn. : 181(2273):225-226, : Dec. 15, 1950.
	*The white pine group.	; :	: FPL Tech. Note : 215. 1957.
Redwood	i:*The strength and related: properties of redwood.:		
Spruce	:*Mechanical properties : of Engelmann spruce. :	: Drow, J. T.	: FPL Rept. 1944-4. : Revised 1960.
Tanoak	<pre>:*Specific gravity, shrink-:     age, and strength of     tanoak. :</pre>	: Paul, B. H., : Dohr, A. W., & : : Drow, J. T.	: FPL Rept. 2041. : 1955. Information : Reviewed and Re- : affirmed 1960. :
Yellow poplar	:*Survey of strength and : related properties of : yellow-poplar.	: Luxford, R. F., & : : Wood, L. W. : :	: FPL Rept. 1516. : Revised 1953. In- : formation Reviewed : and Reaffirmed : 1959.

-45-

Species	: Title	:	Author	: : Publication and date
	.;	:-		
	_	American Wo	ods (continue	ed)
General	:*"Virgin growt	h" and :		: FPL Tech. Note
	: "second grov	wth." :		: 153. 1957.
	:	:		:
	:*Differences be	etween :		: FPL Tech. Note
	: heartwood ar	nd sap- :		: 189. Reissued
	: wood.	:		: 1962.
	:	:		:
	on the following nent of Agricultur	•	s are issued	by the Forest Service, U.
Departn *Bals	nent of Agricultur	•		•
Pepartm  *Bals  *Brax  Other geory are	nent of Agricultur a dilian araucaria eneral reports on	*Greenhear *Iroko foreign wood t of publicati	t *Khaya *Lauans ds issued by	*Lignumvitae *Teak *Mahogany  the Forest Products Labo
*Bals *Brax Other ge tory are wood de	nent of Agricultur  a cilian araucaria eneral reports on a named in the lis scribed on page	*Greenhear *Iroko foreign wood t of publicati	t *Khaya *Lauans ds issued by ons on the str	*Lignumvitae *Teak *Mahogany  the Forest Products Labo ucture and identification o
Pepartm  *Bals  *Brax  Other geory are	nent of Agricultur  a cilian araucaria eneral reports on a named in the lis scribed on page	*Greenhear *Iroko foreign wood t of publicati	t *Khaya *Lauans  ds issued by ons on the str	*Lignumvitae *Teak *Mahogany  the Forest Products Labo ructure and identification of
*Bals *Brax Other ge ory are wood de	nent of Agricultur  a cilian araucaria eneral reports on a named in the lis scribed on page	*Greenhear *Iroko foreign wood t of publicati	t *Khaya *Lauans  ds issued by ons on the str	*Lignumvitae *Teak *Mahogany  the Forest Products Labo ucture and identification of
*Bals *Brax Other ge tory are wood de	nent of Agricultur  a cilian araucaria eneral reports on a named in the lis scribed on page	*Greenhear *Iroko foreign wood t of publicati 79.	t *Khaya *Lauans  ds issued by ons on the str	*Lignumvitae *Teak *Mahogany  the Forest Products Labo ructure and identification of

: affirmed 1960.

Species	: Title	: Author	: : Publication and date
	Foreign W	oods (continued)	
Bamboo	:*Properties of some : bamboos cultivated in : the western hemi- : sphere.	: Heck, G. E. : : : : : : : : : : : : : : : : : :	: FPL Rept. 1765. : 1949. Information : Reviewed and Re- : affirmed 1962.
Carib- bean	: Present and potential : commercial timbers of : the Caribbean. :	_	: U.S. Department of : Agriculture Hand- : book No. 207. Mar. : 1962. Available : from Superintendent : of Documents, Gov- : ernment Printing : Office, Washington : 25, D. C. Price : \$1.
Imported	: l:*Characteristics of some : imported woods	: Kukachka, B. F. :	: FPL Rept. 2242. : 1962.
Parana pine	:*Mechanical properties : of Brazilian parana : pine.	Dohr, A. W.	: South. Lbrmn., : 186(2324):39-40, : 42, Feb. 1, 1953.
Puerto Rican		•	U.S. Department of Agriculture Hand- book No. 205. Nov. 1961. Available from Superintendent of Documents, Gov- ernment Printing Office, Washington 25, D. C. Price 65 cents.

#### STEAM BENDING

Title	: Author	: : Publication and date
Bending solid wood to form.	: Peck, E. G. : : : : : : : :	: U.S. Department of : Agriculture Hand- : book No. 125. : Dec. 1957. Avail- : able from the Su- : perintendent of : Documents, Gov- : ernment Printing : Office, Washinton : 25, D. C. Price : 15 cents.
A further improvement in pans for use in the hot-press bending of chair posts.	: Wilson, T.R.C. :	: Wood Working Indus., : Feb. 1927. :

#### STRUCTURAL TIMBERS

Title	: Author	: Publication and date
*Shear stress in two wood beams over wood block supports.	: Cowan, W. C.	: FPL Rept. 2249. : 1962.
*Working stresses for farm build- ing lumber.	: Wood, L. W. :	: : Agric. Eng., 42(1): : 18-21, 25. Jan. : 1961.
Tentative recommended practice for determining design stresses for load-sharing lumber members.		: : Am. Soc. Testing : Materials Std. : D2018-62 T. : Issued 1961.

Title	: Author	: Publication and date
*Simplified principles for structural grading of timber.	: Markwardt, L. J., : & Wood, L. W.	: FPL Rept. 2112. : 1958.
The factor of safety in design of timber structures.	: Wood, L. W. :	: Paper 3051. Trans- : actions of Am. : Soc. Civil Engrs., : Vol. 125, 1960.
Duration of load and fatigue in wood structures.	: Wood, L. W., : Horner, A. C., : Lewis, W. C., & : Ruble, E. J.	: Jour. of the Struc. : Proc. ASCE : 83(ST5):1361-1 to : 1361-8. 1957.
*Evaluation of the factor of safety in structural timbers.	: Wood, L. W., & : Tasker, Marilyn	: FPL Rept. 2068. : 1957.
*Formulas for columns with side loads and eccentricity.	: Wood, L. W. :	: FPL Rept. 1782. : 1950. Information : Reviewed and Re- : affirmed 1961.
*Properties of white-pocket Douglas-fir lumber.	: Wood, L. W. :	: FPL Rept. 2017. : 1955. Information : Reviewed and Re- : affirmed 1960.
*Structural values of old lumber.	Wood, L. W. : : : : :	: South. Lbrmn., : 189(2369):158-160, : Dec. 15, 1954. : FPL Rept. 2009. : 1954. Information : Reviewed and Re- : affirmed 1959.

Title	: Author	: : Publication and date
	: Markwardt, L. J., : & Wood, L. W. :	: The Inc. Assoc. of : Arch. & Surveyors, : London, England. : 1953. (Pt. IV in: : Inst. of Civil Eng. : Joint Com. on Mat. : and their Testing.)
Lumber: Simplified practice recommendation 16-53.	· : :	: U.S. Bureau of : Standards. 1953. : Price 15 cents.
*Strength of wood beams of rec- tangular cross section as af- fected by span depth ratio.	Bechtel, S. C., & Norris, C. B.	: FPL Rept. 1910. : 1952. Information : Reviewed and Re- : affirmed 1959.
Grading problems that challenge the lumber industry.	: Johnson, R. P. A. :	: Forest Prod. Res. : Soc. Proc., 1950.
Tentative methods for establishing structural grades of lumber.	: : :	: Am. Soc. Testing : Materials, ASTM : Desig. D245-62T. : Revised 1962.
Structural timbers for bridge construction in Central America.	: Scholten, J. A. :	: National Research : Council Div. Eng. : & Indus. Res. High : way Res. Board : Proc. 202-206. : 1944.
Falling of timber with less damage.	: Newlin, J. A.	: Timberman, June : 1940.

Title	: Author	: Publication and date
Size of knot.	: Newlin, J. A.	: Wood Pres. News, : Apr. 1940.
Same.	: : :	: Am. Soc. Testing : Materials Std. : D9-30. Reapproved : in 1958.
Tests show strength of Douglas- fir stringers after 23 years service.	: Newlin, J. A:, & : Heck, G. E. :	: Ry. Eng. & Main- : tenance, Aug. : 1934.
*New method of calculating longi- tudinal shear in checked wooden beams.	: Newlin, J. A., : Heck, G. E., & : March, H. W.	: Transactions of : Am. Soc. Mech. : Engrs., Oct. 1934.
Shear in checked beams.	: Newlin, J. A. : : : : : : : : : : : : : : : : : :	: Am. Ry. Engr. : Assn. Bull. 364, : Feb. 1934; Wood : Pres. News, Apr. : 1934.
Wood beam design method promises economies.	: Newlin, J. A., : Heck, G. E., & : March, H. W.	: Eng. News-Record, : 1933.
How lumber is graded.	: Betts, H. S. :	: USDA Circ. 64. : 1930. Price 10 : cents.
Tests of large timber columns and presentation of the Forest Products Laboratory column formula.	: Newlin, J. A., & : Gahagan, J. M. : : : : : : : : : : : : : : : : : :	: USDA Tech. Bull. : 167. 1930. Price : 10 cents.

Title	: Author	: : Publication and date
Strength tests of cross-arm.	::: Wilson, T. R. C.	: U.S. Forest Service : Circ. 204. 1912. : Out of Print.
Mine timber: Its selection, stor- age, treatment, and use. Chapter on methods of prolonged life of mine timber, by G. M. Hunt.		: U.S. Bureau of Mines : Bull. 235. 1925. : Out of Print. :
The strength of mine timbers.	: Johnson, R. P. A. : :	: Am. Mining Congress : Sec. of Mine Timber : ing Comm. Rept. : 1923. Am. Mining : Cong. Std. Bull. 4. : 1924.
Rocky Mountain mine timbers.	: : Betts, N. D. :	: : USDA Bull. 77. 1914. : Out of Print.
	USES	
Title	: Author	: Publication and date
Aircraft (See also	Plywood and Sandwi	ch)
Effect of thickness of plywood re- inforcing plates on the behavior of solid wood aircraft spars under changes in moisture con- tent.		: FPL Rept. 1527. : 1945. Information : Reviewed and Re- : affirmed 1962.
*A comparison of shearing strengths of glued joints at vari- ous grain directions as deter- mined by four methods of test.	McLeod, A. M., Yolton, L. A., Sandborn, W. A., & Phillips, R. S.	

Title	: Author	Publication and date
Aircraf	t (continued)	
Design of wood aircraft structures.	: : :	ANC-18. June 1951. Available from Superintendent of Documents, Government Printing Office. Washington 25, D. C. Price \$1.25
Wood aircraft inspection and fabrication.		ANC-19. Apr. 1951 Available from Superintendent of Documents, Government Printing Office. Washinton 25, D. C. Price \$1, 25.
Effect of cell shape on compressive strength of hexagonal honeycomb structures.	: Ringelstetter, L.A., : Voss, A. W., & : Norris, C. B.	U.S. NACA Tech. Note 2243. Dec. 1950. Washing- ton 25, D. C.
Shear stress distribution along the glue line between the skin and cap-strip of an aircraft wing.	: Norris, C. B., & : Ringelstetter, : L. A.	U.S. NACA Tech. Note 2152. 1950. Washington 25, D. C.
Aircraft woods: Their properties, selection, and characteristics.	: Markwardt, L. J. :	U.S. NACA Rept. 354. 1930. Wash- ington 25, D. C.
Strength and characteristics of wood used in aircraft construction.	Trayer, G. W.	Am. Soc. Testing Materials Proc. 1930.

Title	: Author	: Publication and date
Automobiles	and Other Vehicles	•
*Shear strength and accelerated durability tests on glue joints in laminated red oak beams applicable to such uses as truck bodies, wagons, and implement parts.	: : :	: FPL Rept. 1686. : 1947. Information : Reviewed and Re- : affirmed 1960. :

# **Buildings and Structures**

### General

Minimum property standards for one and two living units.	: Administration :	FHA No. 300. Nov. 1958. Available from Superintend- ent of Documents, Government Print- ing Office, Wash- ington 25, D. C. Price \$1.75.
National design specification for stress-grade lumber and its fastenings.		1961 Ed. Washing- ton 6, D.C. Price 50 cents.
Timber design and construction handbook.		. 1956. F. W. Dodge Corp., New York. Price \$12.75.
Modern timber engineering.		1954. Southern Pine Association. New Orleans 4, La. Price \$2.

Title	: Author	: Publication and date
Buildings and S	Structures (continued	; )
General (continued)		
The unicom method of house construction.	: Manufacturers	: Manual No. 1. 1962. : Washington 6, D. C. : Price \$10.
*What can be expected from treated wood in highway construction.	: Blew, J. O., Jr. :	: FPL Rept. 2235. : 1961.
*Recommended building code requirements for wood or woodbase materials.	: Wood, L. W. :	: FPL Rept. 2075. : 1957.
Wood-frame house construction.		U.S. Department of Agriculture Hand- book No. 73. 1955. Available from Su- perintendent of Documents, Gov- ernment Printing Office, Washing- ton 25, D.C. Price 65 cents.
*Structural performance require- ments in housing codes.	: Wood, L. W. : : : : : : : : : : : : : : : : : :	: Am. Soc. Testing : Materials Reprint : from Symposium of : Methods of Testing : Building Const., : Spec. Tech. Pub. : 166. 1954.
*Manual on wood construction for prefabricated houses.	:	: Housing & Home : Finance Agency, & : Housing Expediter : 1947.

Title		: Publication and date
Buildings and S	tructures (continued	: )
General (continued)		
Building code requirements for new dwelling construction	: : :	: National Bureau of : Standards Rept. : BMS 107. Jan. : 1947. Price 10 : cents.
Recommended minimum requirements for small dwelling construction: Report of the Department of Comm. Building Code Comm.	:	: : Building and Housing : Pub. 18. 1932. : Price 10 cents. :
Cut out those ladder accidents.	: Freas, A. D. : : :	: Magazine of Stand- : ards (Am. Stand- : ards Assn.) 30(5): : 142-143. May : 1959.
*The role of inspection in wood ladder safety.	: : Markwardt, L. J. : :	: : FPL Rept. 1994. : 1954. Information : Reviewed and Re- : affirmed 1959.
*Wood scaffold planks.	: : :	: : FPL Tech. Note : 264. 1962.
*Wood seats for stadiums.	: : :	: : FPL Rept. 1006. : Revised 1958.
*Facts and fancies about ladders.	: Markwardt, L. J., : & Freas, A. D.	: National Safety News, Dec. 1950.

Title	. Author	: Publication and date
Buildings and	d Structures (contin	ued)
General (continued)		
*Don't test that ladder.	: Freas, A. D. : : : : : : : : : : : : : : : : : :	: International Fire : Fighter, Oct. 1949 : National Safety : News, Nov. 1949.
*Ladders and ladder safety.	: Markwardt, L. J.	: Plant Engineering, : 1956.
Insulation, Ventilation, and Conde	ensation	
*Water-vapor permeability of matched barrier materials as yielded by two methods.	: Teesdale, L. V.	: FPL Rept. 2131. : 1958.
*Moisture condensation in barns.	: Teesdale, L. V.	: FPL Rept. 1231. : 1940. Information : Reviewed and Re- : affirmed 1962.
*Condensation problems in farm buildings.	Teesdale, L. V.	: FPL Rept. 1186. : 1938. Information : Reviewed and Re- : affirmed 1958.
*Thermal insulation made of wood base materialsIts application and use in houses.		: FPL Rept. 1740. : 1949. Revised : 1958.
*Remedial measures for building condensation difficulties.	Teesdale, L. V.	: FPL Rept. 1710. : Revised 1955. In- : formation Reviewed : and Reaffirmed : 1962.

Title		: Publication and date
	Structures (continu	ed)
Insulation, Ventilation, and Conden	sation (continued)	
*Condensation problems in modern buildings.	: Teesdale, L. V. : : :	: FPL Rept. 1196. : Revised 1955. In- : formation Reviewed : and Reaffirmed : 1959.
Tentative methods of testing ma- erials for use as vapor barriers under concrete slabs and as ground cover in crawl spaces.		: Am. Soc. Testing & : Materials, ASTM : Std. E 154-60T. : 1960.
Attic condensation.	: : :	: : Housing & Home : Finance Agency : Tech. Bull. 6. : Sept. 1948.
Insulation and vapor proofing of cold storage buildings.	: : Teesdale, L. V. :	: : Cold Storage Locker : Operators Conf. : Proc. 1939.
Window conditioning urged to halt condensation.	: : Browne, F. L. : : : :	: Am. Builder & Bldg. : Age, Aug. 1938; : Am. Lbrmn., : Nov. 5, 1938; : Miss. Valley : Lbrmn., Oct. 28, : 1938.
Relation of air conditioning to sash and door troubles.	: : Teesdale, L. V. : :	: National Assn. Wood: work Jobbers Proc. : 1938.

Title	: Author	: Publication and dat
Buildings and	Structures (continu	ıed)
Materials		
*Let's be practical about exterior particle board!	: Heebink, B. G. :	: Wood and Wood : Products 67(3):4 : 42, MarApr. : 1962.
America's wooden houses.	: Anderson, L. O. :	: Indian Builder, : pp. 36-39, Mar. : 1962.
Wood floors for dwellings.	: : : : : : : : : : : : : : : : : : :	: U.S. Department of Agriculture Hand book No. 204, 44 pp. Sept. 196: Available from Superintendent of Documents, Government Printing Office, Washington 25, D. C. : Price 35 cents.
*Paper overlaid lumber.	: Heebink, B. G. :	: Forest Prod. Jour : 11(4):167-175, : Apr. 1961.
*The use of wood in tomorrow's house.	: Fleischer, H. O. :	: Forest Prod. Jour : 10(12):648-650, : Dec. 1960.

Title	: Author	: : Publication and date
Buildings and S	tructures (continued	i)
Materials (continued)		
Selecting farm framing lumber for strength.	: Wood, L. W. : : : : :	: USDA Leaflet No. : 481, 6 pp. Nov. : 1960. Available : from the Superin- : tendent of Docu- : ments, Government : Printing Office, : Washington 25, D. C : Price 5 cents.
*Use development for particle board.	: Lewis, W. C. :	: Forest Prod. Jour. : 8(2): 27A-30A, : Feb. 1958.
*Materials of construction: Wood.	: Stamm, A. J., & : Baechler, R. H.	: Indus. & Eng. Chem. : 50(9) Pt. 2:1496, : Sept. 1958.
*Rigidity and strength of houses built of plywood stressed-cover panels.	: Luxford, R. F., & : Erickson, E. C.O: : : : : : : : : : : : : : : : : : :	
*Properties of insulating fiber- board sheathing.	: Luxford, R. F. : : : : : : : : : : : : : : : : : :	: FPL Rept. 2032. : 1955. Information : Reviewed and Re- : affirmed 1960.

Title		: Publication and date
Buildings and S	Structures (continued	
Materials (continued)		
Region. I. A field survey of	: Dale, A. C., & : Schmidt, J. L. : (filed FPL under : Scholten)	: Station Bull. 601. : Purdue University : Agricultural Ex- : perimental Station, : Sept. 1954.
*Suitability of woods for use in barns and other farm structures.	; ;	: FPL Tech. Note 246. : Reissued 1953.
*Suitability of woods for use in the frame house.	: : :	: FPL Tech. Note 245. : Revised 1952.
Insulation boards from wood waste.	: : : :	: Housing & Home : Finance Agency : Tech. Bull. No. 5, : July 1948.
Wood, too, needs protection from the elements.	: : Freas, A. D. :	: Miss. Valley Lbrmn. : Vol. 77, No. 52, : Dec. 27, 1946.
Use and abuse of wood in house construction.	: Johnson, R. P. A., : & Davis, E. M. :	: USDA Misc. Pub. : 358. 1939. Avail- : able from Superin- : tendent of Docu- : ments, Washing- : ton 25, D. C. : Price 10 cents.
*Selection of lumber for farm and home building.	: : Sweet, C. V., & : Johnson, R. P. A.	: : USDA Farmer's : Bull. 1756. 1936.

Title	: Author	: : Publication and date
Buildings and	Structures (continue	ed)
Structural Components		
*Built-up beams for light frame and pole construction.	: Doyle, D. V.	: FPL Rept. 2230. : 1962.
Determination of member stresses in wood trusses with rigid joints.	: Suddarth, S. K.	: Purdue University : Res. Bull. No. 714 : Feb. 1961.
*Evaluation of the stiffness of a roof system made of glued- laminated beams and heavy timber decking.	: Werren, F.	: FPL Rept. 2229. : 1961.
*Portable equipment for measur- ing twist in doors.	: Heebink, B. G.	: FPL Rept. 2148. : 1959.
*Performance of structural pole frames under test load.	: Doyle, D. V.	: FPL Rept. 2111. : 1958.
*Light wood trusses.	Luxford, R. F.	: Paper 1839, Jour. of the Div. Proc. of the Am. Soc. Civil Engrs. Vol. 84, No. ST7, 1958. : Also FPL Rept. 2113. 1958.
*Segmental rafters for Gothic-	· :	: FPL Tech. Note

: 261. 1958.

roofed farm buildings.

Title	: Author	Publication and date
	tructures (continued)	)
Structural Components (continued)		
*Report on U.S. Forest Products Laboratory tests of full-size structural diaphragms.	: : : :	: Am. Soc. Testing : Materials Reprint : from Symposium : on Design & Tests : of Bldg. Constructions Seismic & : Shock Loading & : Glued-Laminated : Construction, Spe : Tech. Pub. 209.
*Diaphragm action of diagonally sheathed wood panels.	Doyle, D. V.	: FPL Rept. 2082. : 1957.
*Observations of damage to houses by high winds, waves, and floods and some construction precau- tions.		: FPL Rept. 2095. : 1957.
Preventing storm wind damage to farm buildings.	. : Molander, E.G., & : Dodge, R. J. :	: USDA Information : Bull. No. 144. : July 1956.
*Some tests of end-matched lumber.	: Wilson, T. R. C. :	: FPL Rept. 1197. : 1928. Informatio : Reviewed and Re- : affirmed 1962.
*Strength tests of spliced studs.	Erickson, E.C.O.	: FPL Rept. 1275. : Revised 1959.

Title	: Author	: Publication and date
Buildings and S	tructures (continued	)
Structural Components (continued)		
*Rigidity and strength of wall frames braced with metal strapping.	: Erickson, E. C. O. :	: FPL Rept. 1603. : 1946. Information : Reviewed and Re- : affirmed 1960.
*How to avoid nail popping in dry- wall construction.	: Luxford, R. F. :	: FPL Rept. 2036. : 1955. Information : Reviewed and Re- : affirmed 1960.
*Hollow-core flush doors.	: : :	: FPL Rept. 1983. : Revised 1959.
*The designing for strength of flat panels with stressed coverings.	: Newlin, J. A. : : : : : : : : : : : : : : : : : :	: FPL Rept. 1220. : 1939. Information : Reviewed and Re- : affirmed 1957.
*Fabricated wall panels with ply- wood coverings.	: Luxford, R. F. :	: FPL Rept. 1099. : 1936. Information : Reviewed and Re- : affirmed 1960.
Plank-and-beam system for residential construction.	: Housing & Home Finance Agency :	: Housing & Home : Finance Agency : Construction Aid : 4. 1953.
*Trends in house construction.	: : Anderson, L. O. :	: Forest Prod. Res. : Soc. Jour., Vol. 11 : No. 5, Dec. 1952.

Title	: Author	: : Publication and date
Buildings and S	Structures (continue	d)
Structural Components (continued)		
*Research in wind-resistant farm building construction.	: Doyle, D. V. : : : : : : : : : : : : : : : : : :	: FPL Rept. 1930. : 1952. Information : Reviewed and Re- : affirmed 1959.
*Prefabricated house system developed by the Forest Products Laboratory.	: : Luxford, R. F. : : :	: FPL Rept. 1165. : Revised 1952. In- : formation Reviewed : and Reaffirmed : 1958.
New developments in construction research; tests on floor panels, laminated rafters, and radiant heating may lead to new building techniques.	: Harker, B. A. : : : : : : : : : : : : : : : : : :	: Am. Lbrmn. 3491: : 46-47, 94. May 19 : 1952. :
Basement vs. no basement.	: : : : : : : : : : : : : : : : : : : :	: Housing & Home : Finance Agency : Tech. Bull. No. 8. : Jan. 1949.
Properties of experimental wood- base house flooring materials (including a tentative test procedure for flooring).		: Housing & Home : Finance Agency : Tech. Paper No. 11 : Nov. 1948.
Physical properties and fabrication details of experimental honeycomb core sandwich house panels.	: : : :	: Housing & Home : Finance Agency : Tech. Paper No. 7. : Feb. 1948.

Title	: Author	: : Publication and date		
Buildings and Structures (continued)  Structural Components (continued)				
	Whittemore, H. L., Phelan, V. B., Dill, R. S., with the collaboration of Luxford, R. F.	: Standards Rept. : BMS 99. 1943. : Price 15 cents.		
Dimension panels in a modular system of small house construction.		: : Am. Builder & Bldg. : Age, June 1941. :		
Wood doors.	: : Heck, G. E. :	: : Wood Prod., Mar. : 1941.		
frame wall construction spon-	Whittemore, H. L., Stang, A. H., with the collaboration of Wilson, T. R. C.	: Standards Rept. : BMS 30. 1939.		
Structural properties of conventional wood-frame constructions for walls, partitions, floors, and roofs.	,	: : National Bureau of : Standards Rept. : BMS 25. 1939.		

Title	:	Author	: Publication and date
Buildings a	nd Stru	ctures (contin	ued)
Structural Components (continu	ued)		
Wood floors for dwellings.	:		: U.S. Department of
J	:		: Agriculture Hand-
	:		: book No. 204. 196
	:		: Available from Su
	:	t	: perintendent of
	:		: Documents, Gov-
	:		: ernment Printing
	:		: Office, Washing-
	:		: ton 25, D. C. Pri
	:		: 35 cents.
	•		•

#### VENEER AND PLYWOOD

Title	: Author	: : Publication and date
*The bending strength and stiffness of plywood.	•	: FPL Rept. 1304. : Revised 1956. In- : formation Reviewed : and Reaffirmed : 1962.
*Effect of veneer thickness and grain direction on the shear strength of plywood.	: Norris, C. B., : Werren, F., & : McKinnon, P. F.	: : FPL Rept. 1801. : 1948. Information : Reviewed and Re- : affirmed 1961.

# VENEER AND PLYWOOD (continued)

Title		: Publication and date	
*Buckling of thin-walled plywood cylinders in torsion.		: FPL Rept. 1529. : 1945. Information : Reviewed and Re- : affirmed 1960.	
*Effect of circumferential stiffeners on the buckling properties of thin, curved plywood panels in axial compression.	: Heebink, T.B., & : Norris, C.B.	: FPL Rept. 1812. : 1950. Information : Reviewed and Re- : affirmed 1961.	
*Manufacture and general charac- teristics of flat plywood.	• •	: FPL Rept. 543. : Revised 1961.	
*Buckling of flat plywood plates in compression shear, or com- bined compression and shear:	March, H. W.	: FPL Rept. 1316. : 1942. Information : Reviewed and Re- : affirmed 1962.	
*Supplement: Buckling of flat isotropic plates in compression, shear, or combined compression and shear.	March, H. W.	: FPL Rept. 1316-A. : 1942. Information : Reviewed and Re- : affirmed 1960.	
*Supplement: Buckling of plates of any symmetrical construction. Edges simply supported. Buckling of plates with two edges clamped.	: :	: FPL Rept. 1316-B. : 1942. Information : Reviewed and Re- : affirmed 1962.	
*Supplement: Plates having the grain of the face plies inclined to the edges.		: FPL Rept. 1316-C. : 1943. Information : Reviewed and Re- : affirmed 1962.	
*Supplement: Buckling of flat plywood plates in compression with face grain at 0° and 90° to load.	: Norris, C. B., & : Voss, A. W. :	: FPL Rept. 1316-D. : 1943. Information : Reviewed and Re- : affirmed 1962.	

# VENEER AND PLYWOOD (continued)

Title	Author	: Publication and date
*Supplement: Effective width of thin plywood plates in com- pression with the face grain at 0° and 90° to load.		: FPL Rept. 1316-E. : 1943. Information : Reviewed and Re- : affirmed 1961.
*Supplement: Buckling of long, flat plywood plates under uniform shear. Grain of face plies inclined to edges. Edges clamped.		: FPL Rept. 1316-F. : 1943. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Buckling tests of flat plywood plates in com- pression with face grain at 15°, 30°, 45°, 60°, and 75° to load.	Norris, C. B., & Voss, A. W.	: FPL Rept. 1316-G. : 1943. Information : Reviewed and Re- : affirmed 1960.
*Supplement: Buckling of flat plywood plates in uniform shear with face grain at angles of 0°, ±45°, and 90°.	Voss, A. W., & Norris, C. B.	: FPL Rept. 1316-H. : Revised 1950. In- : formation Reviewed : and Reaffirmed : 1962.
*Supplement: Effective width of thin plywood plates at maxi- mum load in compression with the face grain at 0°, 15°, 30°, 45°, 60°, 75°, and 90° to load.	Voss, A. W., & McKinnon, P. F.	: FPL Rept. 1316-I. : 1945. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Buckling tests of flat plywood plates in com- pression with face grain 45° to loadLoaded edges clamped, others simply sup- ported.	Ringelstetter, L. A.	: FPL Rept. 1316-J. : 1949. Information : Reviewed and Re- : affirmed 1962. :

-69-

Title	Author	: Publication and date
Design of plywood webs in box beams.		: :
*Supplement: Stiffeners in box beams and details of design.	Lewis, W.C., & Dawley, E.R.	FPL Rept. 1318-A. 1943. Information Reviewed and Re- affirmed 1958.
*Supplement: Buckling in shear webs of box and I-beams and the effect upon design criteria.	Lewis, W. C., Heebink, T. R., Cottingham, W. S., & Dawley, E. R.	: FPL Rept. 1318-B. : 1943. Information : Reviewed and Re- : affirmed 1960.
*Supplement: Additional tests of box beams and I-beams to substantiate further the design curves for plywood webs in box beamstests of plywood webs in the tension field.	· · · · · · · · · · · · · · · · · · ·	: FPL Rept. 1318-C. : 1944. Information : Reviewed and Re- : affirmed 1960.
*Supplement: Buckling and ulti- mate strengths of shear webs of box beams having plywood face grain direction parallel or perpendicular to the axis of the beams.	Heebink, T. B., &	
*Supplement: The effect of re- peated buckling on the ulti- mate strengths of box beams with shear webs in the inelas- tic buckle range.	Cottingham, W.S.	
*Buckling of stiffened, flat, plywood: plates in compression. A single stiffener perpendicular to stress.	March, H. W., &:	: FPL Rept. 1553. : 1946. Information : Reviewed and Re- : affirmed 1962.

Title	: Author	: : Publication and date :
*Supplement: A single stiffener perpendicular to stress. Face grain of plywood at 45° to its edges.	: Heebink, T. B., & : : Norris, C. B.	FPL Rept. 1553-A. 1946. Information Reviewed and Re- affirmed 1962.
*Supplement: A single stiffener parallel to stress.	Smith, C. B., Ringelstetter, L. A., & Norris, C.B.	FPL Rept. 1553-B. 1947. Information Reviewed and Re- affirmed 1960.
*Supplement: A single stiffener parallel to stress. Face grain of plywood at 45° to its edges.	: & Norris, C. B.	FPL Rept. 1553-C. 1948. Information Reviewed and Re- affirmed 1962.
*The effect of a stiffener on the maximum load of flat plywood plates in edgewise compression, with the face grain at 0° and 90° to the load: A single stiffener parallel to the direction of loading load edges clamped, others simply supported.	: :	<del>-</del>
*Longitudinally stiffened thin- walled plywood cylinders in axial compression.	: Kuenzi, E. W., & : : Norris, C. B.	FPL Rept. 1562. 1948. Information Reviewed and Re- affirmed 1962.
*Effect of length on the buckling stresses of thin-walled, plywood cylinders in axial compression.	:	FPL Rept. 1514. Revised 1948. Information Reviewed and Reaffirmed 1959.

200 -71-

Title	: Author	Publication and date
*Torsional buckling of longitudi- : nally stiffened, thin-walled, plywood cylinders.	Kuenzi, E. W., & : : Norris, C. B. :	FPL Rept. 1563. 1948. Information Reviewed and Re- affirmed 1962.
*The effective stiffness of a stiffener attached to a flat ply-wood plate.	: Smith, C. B., : Heebink, T. B., & : Norris, C. B.	FPL Rept. 1557. 1946. Information Reviewed and Re- affirmed 1962.
*Effect of increased moisture con- tent on the shear strength at glue lines of box beams and on the glue-shear and glue-tension strengths of small specimens.	: Lewis, W. C., : Heebink, T. B., & : : Cottingham, W. S.	
*Thin-walled plywood cylinders in bending.	: Kuenzi, E. W. : : : : : : : : : : : : : : : : : :	FPL Rept. 1502. 1944. Information Reviewed and Re- affirmed 1962.
*Rectangular plywood plates with the grain of the face plies in- clined to the edges.	: March, H. W. : : : : : : : : : : : : : : : : : :	FPL Rept. 1507. 1944. Information Reviewed and Re- affirmed 1962.
*Effect of axial stiffeners on the buckling properties of thin curved plywood plates in axial compression.	: Werren, F., & : Norris, C. B. :	: : FPL Rept. 1567. : 1948. Information : Reviewed and Re- : affirmed 1961.
*Flat plates of plywood under uniform or concentrated loads.	: March, H. W. : : : :	: : FPL Rept. 1312. : 1942. Information : Reviewed and Re- : affirmed 1962. :

Title	Author	Publication and date
*Buckling of long, thin, plywood cylinders in axial compression.	March, H. W., Norris, C. B., & Kuenzi, E. W.	: FPL Rept. 1322. : 1943. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Mathematical treatment.	March, H. W.	: FPL Rept. 1322-A. : 1943. Information : Reviewed and Re- : affirmed 1962.
*A comparison of the buckling strength of thin-walled cylin- drical and barrel-shaped ply- wood shells.	: :Kuenzi, E. W. : :	: : FPL Rept. 1323. : 1943. Information : Reviewed and Re- : affirmed 1962.
*Compression, tension, and shear tests on yellow-poplar plywood panels of sizes that do not buckle with tests made at various angles to the face grain.	: Norris, C.B., & : McKinnon, P.F.	
*Supplement: Compression tests.	Norris, C. B., & McKinnon, P. F.	: FPL Rept. 1328-A. : 1943. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Tenstion tests.	Norris, C. B., & McKinnon, P. F.	: FPL Rept. 1328-B. : 1945. Information : Reviewed and Re- : affirmed 1962.
*Supplement: Shear tests.	: Norris, C. B., & McKinnon, P. F. :	: FPL Rept. 1328-C. : 1945. Information : Reviewed and Re- : affirmed 1962.

-73-

Title	: Author	: Publication and date
*Plastic flow (creep) properties of two yellow birch plywood plates under constant shear stress.	: Norris, C. B., & : : Kommers, W. J. :	FPL Rept. 1324. 1943. Information Reviewed and Re- affirmed 1960.
*Summary of formulas for flat plates of plywood under uniform or concentrated loads.	: March, H. W.	FPL Rept. 1300. 1941. Information Reviewed and Re- affirmed 1959.
*Thin-walled plywood cylinders in bending and torsion.	Kuenzi, E. W.	FPL Rept. 1501. 1944. Information Reviewed and Re- affirmed 1960.
*Buckling of thin, curved, plywood plates in axial compression.	Kuenzi, E. W.	FPL Rept. 1508. 1944. Information Reviewed and Re- affirmed 1960.
*Effects of certain defects and stress-concentrating factors on the strength of tension flanges of box beams.		
*Properties of ordinary wood compared with plywood.		FPL Tech. Note 131. Reissued 1962.
Some properties of paper-overlaid veneer and plywood.		Housing & Home Finance Agency Tech. Paper No. 9. 1948.
*Effect of moisture on the com- pressive, bending, and shear strengths, and on the toughness of plywood.	Drow, J. T.	FPL Rept. 1519. 1945. Information Reviewed and Re- affirmed 1957.

のできないというできない。 これのできない 100mm を変換を変換を変換を変換した。 100mm できない 100mm では、100mm できない 100mm できない 100mm できない 100mm できない 100mm できない

Title	: Author	: Publication and date
Design of plywood webs for air- plane wing beams.	: Trayer, G. W. : :	: U.S. NACA Rept. : 344. 1930. Price : 10 cents.

### **GENERAL**

Title	: Author	: : Publication and date
*Changing utilization of hardwoods.	: Locke, E. G.	: FPL Rept. 2244. : 1962.
*Study and Investigation of use of materials and new design and methods in public works: The role of wood and wood products in public works.	: : : :	: 87th Congress, 2nd : Session, Committee : Print No. 2, 70 pp. : 1962.
*FPL 1961: Annual report of the Forest Products Laboratory.	: Forest Products : Laboratory	: 36 pp. 1961.
Fifty years of service through wood research.	: Forest Products : Laboratory :	: U.S. Department of : Agriculture Misc. : Pub. No. 820, 18 pp. : 1960.
*Opportunities for graduate students in forest products.	: :	: 24 pp. Jan. 1960.
How standards serve the wood industries.	: Markwardt, L. J. :	: Magazine of Stand- : ards, Am. Stand- : ards Assn., 30(6): : 164-168, June 1959.

## GENERAL (continued)

Title	: Author	: Publication and date
Wood: Colors and kinds.	: Forest Products : Laboratory :	: U.S. Department of : Agriculture Hand- : book No. 101, 36 pp. : Oct. 1956. Avail- : able from Super- : intendent of Docu- : ments, Government : Printing Office, : Washington 25, D.C. : Price 50 cents.
*The Forest Products Laboratory.	: Champion, F. J.	: FPL Rept. 1698. : 1956. Revised : 1960.
*Some books about wood (a list).	: :	: FPL Rept. 399. : Revised 1961.
Wood handbook	: Forest Products : Laboratory :	: U.S. Department of : Agriculture Hand- : book 72. 528 pp. : 1955. Available : from Superintendent : of Documents, Gov- : ernment Printing : Office, Washing- : ton 25, D. C. Price : \$2.
*Inside wooda short trip into the interior for the layman.	: Champion, F. J. :	: FPL Rept. 1995. : 1954. Information : Reviewed and Re- : affirmed 1960.

## GENERAL (continued)

Title	Author	: Publication and date
*WoodA simple explanation, what it is and how we use it.	Champion, F. J.	: FPL Rept. 1972. : 1954. Information : Reviewed and Re- : affirmed 1960.
*Wood as an engineering material.	: : Markwardt, L. J. :	: Civil Eng. 22(9):165- : 170, Sept. 1952.
*What is meant by "hardwoods" and "softwoods."	: :	: : FPL Tech. Note : 187. 1952.
*A hundred definitions pertaining to wood and other forest products.	: : :	: FPL Tech. Note : 240. 1958.
Research in forest products aids standardization.	: : Markwardt, L. J. :	: Standards World 2(2): 155-170, Apr. 1950
FAO Committee on Mechanical Wood Technology holds conference at Geneva, Switzerland.	: : Markwardt, L. J. : :	: Am. Soc. Testing : Materials Bull. : (163):41-45. Jan. : 1950.
Products of American forests.	Champion, F. J.	U.S. Department of Agriculture Misc. Pub. No. 861, 30 pp 1961. Available from Superintenden of Documents, Gov ernment Printing Office, Washing- ton 25, D.C. Price 30 cents.
Wood as an engineering material.	: : Markwardt, L. J. : :	: Am. Soc. Testing : Materials Proc. : 43:1-58, 1943.

#### OTHER PUBLICATION LISTS ISSUED BY

#### THE FOREST PRODUCTS LABORATORY

The following lists of publications which deal with the other investigative projects of the Forest Products Laboratory are obtainable upon request:

- Boxing and Crating--Strength and serviceability of shipping containers, methods of packing.
- Building Construction Subjects -- Partial list of Government publications of interest to architects, builders, engineers, and retail lumbermen.
- Chemistry of Wood and Derived Products--Chemical properties and uses of wood products, such as turpentine, alcohol, and acetic acid.
- Fire Protection--Fire test methods, fire retarding chemicals and treatments, and fire behavior of treated and untreated wood, wood products, and wood structures.
- Fungus Defects in Forest Products--Decay, stains, and molds in timber, buildings, and various wood products; antiseptic properties of protective materials.
- Furniture Manufacturers, Woodworkers, and Teachers of Wood Shop Practice-Partial list of Government publications on growth, structure, and identification of wood; moisture content, physical properties, air seasoning, and kiln
  drying; grading, manufacturing, and waste utilization; strength and related
  properties and joints and fastenings; glues and gluing, veneer and plywood
  fabrication; box and crate construction.
- Glue and Plywood--Development of waterproof glues, preparation and application of various glues, plywood manufacturing problems.
- Growth, Structure, and Identification of Wood--Structure and identification of wood; the effect of cellular structure of wood on its strength, shrinkage, permeability, and other properties; the influence of environmental factors, such as light, soil, moisture, and fire, on the quality of wood produced; and secretions of economic value produced by trees and their exploitation.

10 mg/s

海 社会

殿鄉五人

#### OTHER PUBLICATION LISTS ISSUED BY

#### THE FOREST PRODUCTS LABORATORY (continued)

- Logging, Milling, and Utilization of Timber--Methods and practices in the lumber-producing and wood-consuming industries; standard lumber grades, sizes, and nomenclature; production and use of small dimension stock; specifications for small wood products; uses for little-used species and commercial woods; and low-grade and wood waste surveys.
- Pulp and Paper -- Suitability of various woods for pulp and paper, fundamental principles underlying the pulping and bleaching processes; methods of technical control of these processes; relation of the chemical and physical properties of pulps and the relation of these properties to the papermaking qualities of the pulps; waste in the industry, for example, decay in wood and pulp, utilization of bark, white water losses, etc.
- Seasoning of Wood--Experimental and applied kiln drying, physical properties, air drying, steam bending.
- Structural Sandwich, Plastic Laminates, and Wood-Base Aircraft Components--Strength, selection, and character of aircraft wood, plywood, and wood and composite laminated and sandwich materials; fabrication and assembly problems; methods of calculating the strength.
- Thermal Properties of Wood--General information and the results of research on how wood is affected by and transmits heat.
- Wood Finishing Subjects -- Effect of coatings in preventing moisture absorption; painting characteristics of different woods, and weathering of wood.
- Wood Preservation -- Preservative materials and methods of application; durability and service records of treated and untreated wood in various forms.
- Note: Since Forest Products Laboratory publications are so varied in subject matter, no single big list is issued. Instead, a list is made up for each Laboratory division. Twice a year, December 31 and June 30, a list is made up showing new reports for the previous 6 months. This is the only item sent regularly to the Laboratory's mailing list. Anyone who has asked for and received the proper subject lists and who has had his name placed on the mailing list can keep up to date on Forest Products Laboratory publications. Each subject list carries descriptions of all other subject lists.

#### ORGANIZATIONAL DIRECTORY

of the

Forest Products Laboratory, Forest Service
U.S. Department of Agriculture
Madison 5, Wisconsin



· .

The state of the s

•